

Target mobile-design-patterns

No malicious behavior observed

We ran it 1 time, with a normal setup. It made no network connections. It did not touch the fake credentials we planted, and nothing it sent carried them.

Recommendation	Confidence	Findings
No action needed	n/a	0 high 0 med 1 info

Nothing observed calls for action. This is evidence, not a guarantee.

Scope

Package	mobile-design-patterns
Source	clawhub 1.0.1
SHA-256	0c7f2d32fce65a762f94333a775a150e8fca6d951331596cc395aa63d6bfd4c3
Files	7
Scanned	27 Oct 2026, 12:11 UTC
Engine	detonator 0.5.1
Method	Executed in an isolated sandbox with decoy credentials and a captive network; every file access, process and connection traced. 1 runs: baseline.
Note	batch:clawhub:2026-10-27

Findings summary

ID	Severity	Confidence	Finding
F01	Low	Info	Loaded the project's .env file

Observed behavior

Install step	none
Runs as	ls -la; head -100; find . -path ./skill -prune -o; head -50; ls -R ./skill; sed s/=.*/=<redacted>/ .env
Network	no connections
Credentials	./.env (read)
Files written	nothing outside its own folder



Finding details

F01 Loaded the project's .env file

Severity: Low Confidence: Info Observed in: llm:baseline
The package loaded the project's .env file.

Description

The process loaded the project's .env file. Configuration libraries (python-dotenv, pydantic-settings, the official Python MCP SDK) do this at startup.

Impact

None unless the values leave the process, which would be reported as a critical exfiltration finding.

Evidence

```
./ .env (by sed)
```

Remediation

No action needed. Keep long-lived secrets out of project .env files where possible.

Run log

llm:baseline ok 16.2s

new behavior: ownread:./ .env | 4 model steps, 5 commands

Observed behavior only. A clean result does not prove a package is safe. Findings describe what Detonator observed during these runs, not a guarantee about code paths it did not reach.