

Target cross-platform-app-checklist

No malicious behavior observed

We ran it 1 time, with a normal setup. It made no network connections. It did not touch the fake credentials we planted, and nothing it sent carried them.

Recommendation	Confidence	Findings
No action needed	n/a	0 high 0 med 1 info

Nothing observed calls for action. This is evidence, not a guarantee.

Scope

Package	cross-platform-app-checklist
Source	clawhub 0.1.1
SHA-256	85f20a97658c2006d4f9f44a179db8e8309a0f0ebc53a4aac623f32eebab69c5
Files	19
Scanned	27 Oct 2026, 12:16 UTC
Engine	detonator 0.5.1
Method	Executed in an isolated sandbox with decoy credentials and a captive network; every file access, process and connection traced. 1 runs: baseline.
Note	batch:clawhub:2026-10-27

Findings summary

ID	Severity	Confidence	Finding
F01	Low	Info	Loaded the project's .env file

Observed behavior

Install step	none
Runs as	ls -la; ls -R ./skill; head -50; head -30; git status; git log --oneline -15
Network	no connections
Credentials	./.env (read)
Files written	./.git/index.lock (written)



Finding details

F01 Loaded the project's .env file

Severity: Low Confidence: Info Observed in: llm:baseline
The package loaded the project's .env file.

Description

The process loaded the project's .env file. Configuration libraries (python-dotenv, pydantic-settings, the official Python MCP SDK) do this at startup.

Impact

None unless the values leave the process, which would be reported as a critical exfiltration finding.

Evidence

```
./ .env (by sed)
```

Remediation

No action needed. Keep long-lived secrets out of project .env files where possible.

Run log

llm:baseline ok 17.2s

new behavior: ownread:./.env, write:./.git/index, write:./.git/index.lock | 8 model steps, 12 commands

Observed behavior only. A clean result does not prove a package is safe. Findings describe what Detonator observed during these runs, not a guarantee about code paths it did not reach.