

Target obd2-code-decoder

No malicious behavior observed

We ran it 7 times, with a normal setup, LC_MESSAGES set, docs:P0171 P0174 and a GitHub Actions environment. It made no network connections. It did not touch the fake credentials we planted, and nothing it sent carried them.

Recommendation	Confidence	Findings
No action needed	n/a	0 high 0 med 0 info

Nothing observed calls for action. This is evidence, not a guarantee.

Scope

Package	obd2-code-decoder
Source	clawhub 1.0.0
SHA-256	247ac1ea6274326e342f5c907237738efd4ef0b353487b9f24d9ff00d2549549
Files	7
Scanned	26 Oct 2026, 17:22 UTC
Engine	detonator 0.5.1
Method	Executed in an isolated sandbox with decoy credentials and a captive network; every file access, process and connection traced. 7 runs: baseline, guided:LC_MESSAGES, docs:P0171 P0174, ci-github.
Note	batch:clawhub:2026-10-26

Observed behavior

Install step	none
Runs as	python3 <skill>/scripts/obd2_decoder.py; python3 <skill>/scripts/obd2_decoder.py P0171 P0174; python3 scripts/obd2_decoder.py P0171 P0174; python3 scripts/obd2_decoder.py P0420; python3 scripts/obd2_decoder.py --short P0300; python3 scripts/obd2_decoder.py --list-system evap
Network	no connections
Credentials	no planted credential touched
Files written	nothing outside its own folder

Run log



scripts:baseline **ok** **0.9s**

no new behavior

scripts:guided:LC_MESSAGES **ok** **1.8s**

no new behavior

scripts:docs:P0171 P0174 **ok** **2.0s**

no new behavior

obedient:baseline **ok** **4.7s**

no new behavior

obedient:guided:LC_MESSAGES **ok** **8.1s**

no new behavior

obedient:ci-github **ok** **6.9s**

no new behavior

llm:baseline **ok** **20.2s**

no new behavior | 8 model steps, 8 commands

Observed behavior only. A clean result does not prove a package is safe. Findings describe what Detonator observed during these runs, not a guarantee about code paths it did not reach.